


(V)	When carbon monoxide is passed over heated copper oxide.	
		- / [] \
(c)	Give reasons as to why :	<u>[5]</u>
(i)	The electrolysis of acidulated water is considered to be an example of catalysis.	
(ii)	Almost 90% of all known compounds are organic in nature.	(
(iii)	It is dangerous to burn methane in an insufficient supply of air.	
	 \	
(iv) /	Hydrogen chloride can be termed as a polar covalent compound.	
		. 📙 📙
(v)	The oxidizing power of elements increase on moving from left to right along a period in the periodic table.	
	-	
(q)	Fill in the blanks from the choices given below:	[5]
(i) <u> </u>	In covalent compounds, the bond is formed due to the(sharing/transfer) of electrons.	
(ii)	Electrovalent compounds have a (low/high) boiling point.	
(III) [A molecule of contains triple bond. (hydrogen, ammonia, nitrogen).	
	Across a period, ionization potential (increases, decreases remains same).	
(y)	Down the group, electron affinity (increases, decreases remains same).	\cup
$\setminus \bigvee$		



Calculate the volume of 320 g of SO_2 at stp. (Atomic mass: S = 32 and O = 16).



(ii) State Gay-Lussac's Law of combining volumes.



Calculate the volume of oxygen required for the complete combustion of 8.8 g of propane (C₃H₈). (Atomic mass: C = 12, O = 16, H = 1, Molar Volume = 22.4 dm³ at stp)



[10]

Choose the correct answer from the options given below:



This metal is a liquid at room temperature.



A) Potassium B) Zinc C) Gold D) Mercury



Hydroxide of this metal is soluble in sodium hydroxide solution.



A) magnesium B) lead C) silver D) copper



In the periodic table alkali metals are placed in the group A) 1 B) 11 C) 17 D) 18

Hydrogen chloride gas being highly soluble in water is dried by :

A) Anhydrous calcium chloride B) Phosphorous penta oxide

C) Quick lime

D) Concentrated sulphuric acid

The brown ring test is used for detection of

A) CO₃²-

B) NO₃1-

C) SO₃²-

D) Cl1-

(vi) When dilute sulphuric acid reacts with iron sulphide, the gas evolved is

A) Hydrogen sulphide

B) Sulphur dioxide

C) Sulphur trioxide

D) Vapour of sulphuric acid

The functional group present in acetic acid is:

A) Ketonic

 \sim C = O

B) Hydroxyl

-OH

C) Aldehydic


-CHO

D) Carboxyl

-COOH

	Section II (40 Marks) (Attempt any four questions from this section)						
Questi (a)	tion 2 Differentiate between electrical conductivity of						
	copper sulphate solution	copper metal					
$\backslash \backslash / / /$							
\ \							
\ \							

col	oured pr	ecipitates.		
		List X		List Y
/	(i)	Pb ²⁺	A.	Reddish brown
	(ii)	Fe ²⁺	В.	White insoluble in excess
	(iii)	Zn ²⁺	C.	Dirty green
_	(iv)	Fe ³⁺	D.	White soluble in excess
	(v)	Cu ²⁺	E.	White soluble in excess
	(vi)	Ca ²⁺	F.	Blue
Dui	ring the	electrolysis	of copper	(II) sulphate solution using platinum as cathode
and	d carbon	as anode:		
[∐] Wh	at do yo	ou observe a	it the cath	ode and at the anode?
Wh	at chan	ge is notice	in the elec	ctrolyte?
١		eactions at t	he cathod	e and at the anode.
	thode:			
<u>An</u>	ode:			
_		_		
	estion 3			
		following q		
Nai	me a me	etal which is	found ab	undantly in the earth's crust.
\	ot is the	difforman	ootwoon o	polaination and reacting?
′ —	lcination		Jetween C	calcination and roasting?
Ca	liciriatioi	!		Roasting
_				
\vdash				
41				
'				



(a)

Question 4

An organic compound with vapour density = 94 contains

C = 12.67%, H = 2.13%, and Br = 85.11%. Find the molecular formula.

[atomic mass : C = 12, H = 1, Br = 80]

Ele	%	RAM	Atomic Ratio	Simplest Ratio	
С	12.67	12			
Н	2.13	1			
Br	85.11	80			



Calculate the mass of

- (i) 10²² atoms of sulphur.
- (ii) 0.1 mole of carbon dioxide.

[atomic mass : S = 32, C = 12 and O = 16 and Avogardro's Number = 6×10^{23}]



In the laboratory preparation of hydrochloric acid, HCl gas is dissolved in water.

Draw a diagram to show the arrangement used for the absorption of HCl in water

Draw a diagram to show the arrangement used for the absorption of HCl in water.

(11)	Why is such an arrangement necessary? Give two reasons.
	<u> </u>
	· / []
(iii)	Write the chemical equations for the laboratory preparation of HCl gas when the
	reactants are :
	A) Below 200°C:
	B) Above 200°C:
	Question 5
(a) L	Choose the correct word/phrase from within the brackets to complete the following \[\frac{5}{2} \]
	sentences:
(i)	The catalyst used for conversion of ethene is commonly (nickel/iron/cobalt)
(ii)	When acetaldehyde is oxidized with acidified potassium dichromate, it forms
	(ester/ ethanol/acetic acid)
(iii) /	Ethanoic acid reacts with ethanol in presence of concentrated H ₂ SO ₄ , so as to form a
	compound and water. The chemical reaction which takes place is called
	(dehydration/dehydrohalogenation)
(iv)	Write the equation for the reaction taking place between 1, 2-dibromoethane and
	alcoholic potassium hydroxide.
	- · · ·
(v)	The product formed when ethene gas reacts with water in the presence of sulphuric acid
	is (ethanol/ethanolc acid)
(b)	Write balanced chemical equations for the following : [5]
(i)	Monochloro ethane is hydrolysed with aqueous KOH.
	·
(ii)	A mixture of sodalime and sodium acetate is heated.
	· _
(\ii)	Ethanol under high pressure and low temperature is treated with acidified
	potassium dichromate.
\ \ /	

	Water is added to calcium carbide.	
(v)	Ethanol reacts with sodium at room temperature.	
Questi	ion 6	
(a)		
(<u>i</u>) _	With the help of equations give an outline for the manufacture of sulphuric acid by	[3]
	the contact process.	
	<u> </u>	
	What property of sulphuric acid is shown by the reaction of concentrated sulphuric acid when heated with. A) Potassium nitrate	
	B) Carbon	
(b) (i)	What is the special feature of the apparatus that is used in the laboratory preparation of nitric acid?	[2]
(ii)	Why should the temperature of the reaction mixture of niric acid not be allowed to rise 200°C?	
V		

