ICSE-2012

Section 1(40 Marks)

(Attempt all questions from this section)

Question 1

- (a) ✓ Name the gas in each of the following:
- (i) The gas in evolved on reaction of aluminium with boiling concentrated caustic alkali solution.

The gas produced when excess ammonia reacts with chlorine.

The gas which turns acidified potassium dichromate clear green.

The gas produced when copper reacts with concentrated nitric acid.

(v) The gas produced on reaction of dilute sulphuric acid with a metallic sulphide.

State one observation for each of the following:

(i) Excess ammonium hydroxide solution is added to lead nitrate solution.

(ii) Bromine vapours are passed into a solution of ethyne in carbon tetrachloride.

A zinc granule is added to copper sulphate solution.

(iv) Zinc nitrate crystals are strongly heated.

Sodium hydroxide solution is added to ferric chloride solution at first a little and then in excess.

(c)	Some word/words are missing are in the following statements. You are required to rewrite the statements in the correct form using the appropriate word/words:	
(i)	Ethyl alcohol is dehydrated by sulphuric acid at a temperature of about 170°C.	$/ \wedge \setminus$
		· / L
(ii)	Aqua regia contains one part by volume of nitric acid and three parts by volume of	<u>·</u> []
(ii)	hydrochloric acid.	Ji
		<u>:</u>
		· ()
		<u>-</u>
	Magnesium nitride reacts with water to liberate ammonia.	
		<u>.</u>
(iv)	Cations migrate during electrolysis.	
(V)	Magnesium reacts with nitric acid to liberate hydrogen gas.	<u>·</u>
	Wagnesium reacts with mittle acid to liberate mydrogen gas.	
		<u>-</u>
(d) \ (i)	Choose the correct answer from the options given below: An element in period-3 whose electron affinity is zero.	[5]
(1)	A) Neon B) Sulphur C) Sodium D) Argon	
(iii) [An alkaline earth metal.	
	A) Potassium B) Calcium C) Lead D) Copper	
(iii)	The vapour density of carbon dioxide [C =12, O =16].	
	A) 32 B) 16 C) 44 D) 22	
(iv)	/ Identify the weak electrolyte from the following:	
(,	A) Sodium chloride solution B) Dilute hydrochloric acid	
	C) Dilute sulphuric acid D) Aqueous acetic acid	
(4)	Which of the following metallic oxides cannot be reduced by normal reducing	
	agents?	
V	A) Magnesium oxide B) Copper (II) oxide C) Zinc oxide D) Iron (III) oxide	

(b)	Match the following:	,,,,,,,,,	777777	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<i>,,,,,,</i> ,,		[[5]
N	Column A			Column B] / _ \
	1. Acid salt			A. Ferrous	ammo	onium sulphate]
	2. Double salt			B. Contain	s only	ions	
	3. Ammonium hydroxi	de solu	tion	C. Sodium	hydro	gen sulphate	
·	4. Dilute hydrochloric	acid		D. Contains only molecules			
· - · - · -	5. Carbon tetrachloride	е		E. Contains ions and molecules			
(f)	Give the structural formu	la for th	e follo	wing:	T		[5]
(i)	Methanoic acid	(ii)	Etha	nol	(iii)	Ethyne	
							$\setminus \cup \setminus$
	J						
							<u>.</u>
(iv)	Acetone	(v)	2-me	thyl propane.			
/a\	Concentrated nitric said a	ovidiood	nhaa	nhawya ta nhaanhari	io oold	according to the	
	Concentrated nitric acid of following equation:	JXIUISES	s prios	priorus to priospriori	ic aciu	according to the	•
· · · · · · · · · · · · · · · · · · ·		nc) -		H₃PO₄ +	H₂C) + 5 NO ₂	
	If 9.3g of phosphorus wa	•			1120) · 0 1402	
	[H =1, N = 14, P =31, O =			reaction calculate.			
\ /	Number of moles of phos	_	taken				
"	rtumbor of molos of phoc	priordo	tanon	•			L',
· - · - · -						<u> </u>	•
						<u>.</u>	:
(ii)	The mass of phosphoric	acid for	med.			<u></u>	[2]
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \							
						_	


(iiii) The volume of nitrogen dioxide produced at STP.	[2]
	_ / _ \
	_ //\
: U	
	<u>-</u>
(h) Give reasons for the following:	[5]
(i) Iron is rendered passive with fuming nitric acid.	
	- ()
	- 15
·	
	$$ \cup \cup
(ii) An aqueous solution of sodium chloride conducts electricity.	
	<u>.</u> =
	<u>.</u>
	-
	_
(iii) /lonization potential of the element increases across a period.	
	-
	_
	=
	=
(iv) Alkali metals are good reducing agents.	
	<u>-</u>
	-
	<u>-</u>
(v) Hydrogen chloride gas cannot be dried over quick lime.	
	<u>-</u>
	-


Section II (40 Marks)

(Attempt any four questions from this section)

Question 2

Some properties of sulphuric acid are listed below. Choose the role played by sulphuric acid as A,B, C, or D which is responsible for the reactions (i) to (v). some role/s may be repeated.





$$(v)$$
 MgO + H₂SO₄ \longrightarrow MgSO₄ + H₂O
 (v) Zn + 2 H₂SO₄ (conc.) \longrightarrow ZnSO₄ + SO₂ + 2H₂O

e) Give balanced equations for the following reactions:

(i) Dilute nitric acid and copper carbonate.

(ii) Concentrated hydrochloric acid and potassium permanganate solution.

(iii) /Ammonia and Oxygen in the presence of a catalyst.

Silver nitrate solution and Sodium chloride solution.

(v) Zinc sulphide and Dilute sulphuric acid.

Question 3

(a) | \$elect the correct answer from the list given in brackets:

An aqueous electrolyte consists of the ions mentioned in the list, the ion which could be discharged most readily during electrolysis.

[Fe²⁺, Cu²⁺, Pb²⁺, H⁺].

(ii) The metallic electrode which does not take part in an electrolytic reaction.

[Cu, Ag, Pt, Ni]

The ion which is discharged at the anode during the electrolysis of copper sulphate solution using copper electrodes as anode and cathode.

[Cu²⁺, OH-, SO₄²⁻, H+]

(iv)	When dilute sodium chlorid	e is electrolysed using graphi	te electrodes,	the	
	cation is discharged at the	cathode most readily.			
	[Na+, OH-, H+, Cl-]			//\	
(v)	During silver plating of an a	rticle using potassium argent	ocynide as an		
	angleelectrolyte, the anode mate	rial should be			
	[Cu, Ag, Pt, Fe]				
(b) _	Match the properties and us	ses of alloys in List 1 with the	appropriate a	nswer from [5]	
	List 2				
		List 1		List 2	
1)7	he alloy contains Cu and Zn, i	s hard, silver and is used in dec	orative articles	A. Duralumin	
2)	s stronger than Aluminium, lig	ght and is used in making light to	ools.	B. Brass	
3) [1	is lustrous, hard, corrosion re	sistant and used in surgical instr	uments.	C. Bronze	
	•	he alloy and is used for solderin	• • •	D. Stainless steel	
5) T	<u> </u>	up polish and is used for making		E. solder	
	1) 2) ;	3) 4) 5	5)	ПП	
	Question 4				
(a)\		n the following compounds:		[4]	
(i) \	Compound X on heating wi	th copper turnings and conce	ntrated sulphu	ric	
	acid librates a reddish brow	n gas.			
(ii)	When a solution of compou	nd Y is treated with silver nitr	ate solution a		
	white precipitate is obtained	d which is soluble in excess o	f ammonium		
	hydroxide solution.				
(111)	Compound Z which on reacting with dilute sulphuric acid liberates a gas				
	which turns lime water milky, but the gas has no effect on acidified				
\bigcup	potassium dichromate solut	tion.			
(i v)	Compound L on reacting w	ith Barium chloride solution g	ives a white		
	precipitate insoluble in dilut	e hydrochloric acid or dilute n	itric acid.	·	
(b)	State one chemical test bet	ween each of the following pa	airs:	[3]	
(i) ,	Sodium carbonate and Sod	ium sulphite			
\\/		Sodium carbonate	Sodium	sulphite	
\ \ /				$\parallel \cup \rfloor$	
\ V .				V	
\					
				4 4	

(11)	$_{ackslash}$ Ferrous nitrate and Lead ni	itrate		
		Ferrous nitrate	Lead nitrate	
(iii)	Manganese dioxide and Co	opper (II) oxide		
		Manganese dioxide	Copper (II) oxide	
(0)	Draw an electron det dieser	am to	101	
(c)	Draw an electron dot diagrashow the structure of hydro		[3]	
	State the type of bonding p		пп	
	otate the type of bonding p	resent in it.		
	Question 5			
(a) [1		[6]	
		_	to form ammonia under specific	
	CONCINCIES as. 142 (9) + 3 H ₂ (g) ——	ZNH3 (9)	
10°	Calculate the volume of am	omonia produced. What is the	other substance if any that	
Calculate the volume of ammonia produced. What is the other substance, if any, that remains in the resultant mixture?				
			<u>.</u> D	
	-			

The mass of 5.6 dm³ of a certain gas at STP is 12.0 g. calculate the relative molecular mass of the gas.	
(iii) Find the total percentage of magnesium in magnesium nitrate crystals,	
Mg(NO ₃) ₂ . 6H ₂ O. [Mg = 24; N = 14; O = 16 and H = 1]	
	<i>]</i> [4]
if any, for the following conversions A to D.	נידן
Sodium Chloride Sodium Chloride Ammonium Chloride Lead Chloride	
A	
Question 6	
	[3]
(i) A metal present in cryolite other than sodium.	
(ii) A metal which is unaffected by dilute or concentrated acids.	
(iii) A metal present in period 3, group 1 of the periodic table.	

(b)	The following questions are relevant to the extraction of Aluminium:	1	[β]
(i)	State the reason for addition of caustic alkali to bauxite.		A \
		<u> </u>	Λ
(ii)	Give a balanced chemical equation for the above reaction.		
(iii)	Along with cryolite and alumina, another substance is added to the electrolyte	•	
	mixture. Name the substance and give one reason for the addition.	/	
		<u> </u>	
	J	<u> </u>	7
	1		1
			\bigcup
(c)	The following questions are based on the preparation of ammonia gas in the		[4]
	laboratory:		
(i)	Explain why ammonium nitrate is not used in the preparation of ammonia.		
		<u> </u>	
(ii)	Name the compound normally used as a drying agent during the process.		
		<u> </u>	
(11)	How is ammonia gas collected?		
	Explain why it is not collected over water.		' Ш
		•	
		<u> </u>	
		<u> </u>	
		<u>.</u>	Ь
			L
	Question 7		
(a)	From the following organic compounds given below, choose one compound in ea	ach	[4]
	case which relates to the description (i) to (iv);		
	[ethyne , ethanol , acetic acid , ethene , methane]		
(i)	An unsaturated hydrocarbon used for welding purposes.		
(i))	An organic compound whose functional group is carboxyl.		ر <u>-</u>
(jii)	A hydrocarbon which on catalytic hydrogenation gives a		
	saturated hydrocarbon.		_\\
(iv)	An organic compound used as a thermometric liquid.		

(i) Why is pure acetic acid known as glacial acetic acid?	
(ii) Give a chemical equation for the reaction between ethyl alcohol and acetic acid.	. []
There are three elements E, F, G with atomic numbers 19, 8 and 17 respectively. (i) Identify the metals and the non metals	[4]
(ii) State the formula and type of bond between E and G	